



CATALOGUE

SIMPLE,BUT SIGNIFICANT.

 www.yanrefitness.com

 Head office:
415,Mingyue Building,No.500 GuShan Road,
Pudong New Area,Shanghai, 200135

 sales@yanrefitness.com

 +86 21 6163 9528

 +86 18621197751



 www.yanrefitness.com

 +86 21 6163 9528

 sales@yanrefitness.com



Self-Design Gym Equipment Expert

CONTENTS

- | | | | |
|-----------|--------------------------|-----------|------------------------------|
| 01 | ABOUT YANER | 07 | 82 PLATE-LOADED SERIES |
| 02 | C4 REVIVAL SERIES | 08 | 53 / 62 / 85 MULTIGYM SERIES |
| 03 | C4D DUAL FUNCTION SERIES | 09 | BENCH AND RACK |
| 04 | 61A RACING SERIES | 10 | CARDIO |
| 05 | 55A DUAL FUNCTION SERIES | 11 | GYM ACCESSORIES |
| 06 | 73 TOUGH SERIES | | |



About Yanre Fitness

Yanre fitness is a leader in the fitness equipment industry, with a focus on designing, engineering, testing, and manufacturing high-quality, innovative products. Since 1997, we have been committed to using premium raw materials and an attention to detail on every component to enhance the natural feel while maximizing comfort and safety for users. Our R&D center is staffed by experts in exercise physiology, biomechanics, ergonomics, and machinery, and we take pride in every piece of equipment we design and every training movement that is complimented by our customers. We purchase steel directly from branded suppliers that meet Q235 standards, and all pipes are 3mm+ thickness. Additionally, we customize important components such as pulleys, cams, bearings, and cables to ensure our machines are sturdy and durable. Using the latest in lasers and robotics, we produce superior weld quality, an automobile-like finish, and "furniture grade" upholstery. We have made substantial and ongoing investments in manufacturing automation and strict quality control principles, ensuring consistency in product performance. Our mission is to help people live the lives they desire through innovative fitness solutions. We are dedicated to designing and creating new types of fitness products that benefit both facilities and exercisers. We aim to become the most respected Chinese brand in the fitness industry by continuing to prioritize professionalism and excellence in everything we do.

C4 REVIVAL SERIES



Seated Shoulder Press
C401



N.W.: 208KG G.W.: 218KG
Installation size: 1480*1310*1620mm
Weight stacks: 70kg-14pcs

Seated Shoulder Press Converging
C401A



N.W.: 224KG G.W.: 233KG
Installation size: 1480*1460*1620mm
Weight stacks: 70kg-14pcs

Pull Up Shoulder
C402



N.W.: 190KG G.W.: 200KG
Installation size: 1125*1157*1620mm
Weight stacks: 70kg-14pcs

Seated Lateral Raise
C403



N.W.: 189KG G.W.: 198KG
Installation size: 872*1270*1620mm
Weight stacks: 60kg-12pcs

Seated Chest Press
C404



N.W.: 209KG G.W.: 218KG
Installation size: 1180*1380*1620mm
Weight stacks: 80kg-16pcs

Chest Press Converging
C404A



N.W.: 218KG G.W.: 228KG
Installation size: 1150*1500*1620mm
Weight stacks: 80kg-16pcs

Pectoral Butterfly
C407



N.W.: 209KG G.W.: 220KG
Installation size: 1220*1300*1620mm
Weight stacks: 80kg-16pcs

Pectoral Fly/Rear Deltoid
C409



N.W.: 218KG G.W.: 228KG
Installation size: 1450*1250*2000mm
Weight stacks: 80kg-16pcs

Biceps Curl
C410



N.W.: 173KG G.W.: 182KG
Installation size: 1200*1270*1620mm
Weight stacks: 60kg-12pcs

Tricep Dip
C411



N.W.: 211KG G.W.: 222KG
Installation size: 1020*1260*1620mm
Weight stacks: 80kg-16pcs

Triceps Extension
C412



N.W.: 189KG G.W.: 198KG
Installation size: 1150*1270*1620mm
Weight stacks: 60kg-12pcs

Low Row
C413



N.W.: 178KG G.W.: 187KG
Installation size: 720*2200*1620mm
Weight stacks: 80kg-16pcs

Back Extension
C417



N.W.: 184KG G.W.: 194KG
Installation size: 1160*1130*1620mm
Weight stacks: 70kg-14pcs

Upper/Mid Abdominal Trainer
C418



N.W.: 181KG G.W.: 190KG
Installation size: 1130*1030*1620mm
Weight stacks: 70kg-14pcs

Lower Abdominal Trainer
C418A



N.W.: 193KG G.W.: 202KG
Installation size: 1435*1146*1620mm
Weight stacks: 70kg-14pcs

Rotary Torso
C419



N.W.: 179KG G.W.: 187KG
Installation size: 720*1458*1620mm
Weight stacks: 70kg-14pcs

Mid Row
C414



N.W.: 191KG G.W.: 202KG
Installation size: 720*1900*1620mm
Weight stacks: 80KG-16pcs

Lat Pull Down
C415



N.W.: 183KG G.W.: 192KG
Installation size: 1220*1100*2180mm
Weight stacks: 90KG-18pcs

Lat Pull Down Diverging
C415A



N.W.: 246KG G.W.: 259KG
Installation size: 1600*1100*2000mm
Weight stacks: 90KG-18pcs

Knee-on Assisted Chin/Dip
C415A



N.W.: 223KG G.W.: 235KG
Installation size: 1000*1200*2250mm
Weight stacks: 80kg-16pcs

Multi Hip
C420



N.W.: 223KG G.W.: 233KG
Installation size: 1065*1508*1620mm
Weight stacks: 70kg-14pcs

Gluteus Maximus Trainer
C421



N.W.: 196KG G.W.: 206KG
Installation size: 1216*820*1620mm
Weight stacks: 80kg-16pcs

Gluteus Maximus Trainer
C421A



N.W.: 198KG G.W.: 210KG
Installation size: 1216*820*1620mm
Weight stacks: 80kg-16pcs

Inner Thigh Adductor
C422



N.W.: 200KG G.W.: 208KG
Installation size: 720*1600*1620mm
Weight stacks: 80kg-16pcs

Outer Thigh Abductor
C423



N.W.: 200KG G.W.: 208KG

Installation size: 720*1600*1620mm

Weight stacks: 80kg-16pcs

Leg Extension
C424



N.W.: 216KG G.W.: 226KG

Installation size: 1350*1200*1620mm

Weight stacks: 80kg-16pcs

Seated Leg Curl
C425



N.W.: 232KG G.W.: 252KG

Installation size: 1350*1200*1620mm

Weight stacks: 80kg-16pcs

Standing leg curl
C425A



N.W.: 235KG G.W.: 248KG

Installation size: 1310*1135*1620mm

Weight stacks: 70kg-14pcs

Standing Calf
C431



N.W.: 214KG G.W.: 222KG

Installation size: 1280*720*1640mm

Weight stacks: 100kg-20pcs

Hip thruster
C458



N.W.: 203KG G.W.: 215KG

Installation size: 1670*1129*1620mm

Weight stacks: 60kg-12pcs

Adductor and Abductor
C460



N.W.: 212KG G.W.: 221KG

Installation size: 720*1630*1620mm

Weight stacks: 80kg-16pcs

Adjustable Crossover
C432



N.W.: 385KG G.W.: 433KG

Installation size: 3940*720*2415mm

Weight stacks: 70KG-14pcs*2

Prone Leg Curl
C426



N.W.: 194KG G.W.: 205KG

Installation size: 1580*1120*1620mm

Weight stacks: 80kg-16pcs

Seated Leg Press
C428



N.W.: 255KG G.W.: 267KG

Installation size: 1410*1080*1620mm

Weight stacks: 100kg-20pcs

Seated Leg Press
C428A



N.W.: 278KGS G.W.: 290KGS

Installation size: 1625*1040*1620mm

Weight stacks: 100kg-20pcs

Seated Calf
C430



N.W.: 184KG G.W.: 194KG

Installation size: 1583*720*1620mm

Weight stacks: 80kg-16pcs

Fuctional trainer
C432B



N.W.: 333KG G.W.: 384KG

Installation size: 1680*940*2280mm

Weight stacks: 70KG-14pcs*2

Single Fuctional Trainer
C4F32D



N.W.: 190KG G.W.: 240KG

Installation size: 360*720*2415mm

Weight stacks: 70kgs-14pcs

Diverging Tricep Extension
C4A11



N.W.: 173KG G.W.: 253KG

Installation size: 1560*1480*1640mm

Weight stacks: 70kgs-14pcs

Diverging Mid Row
C4A14



N.W.: 201KG G.W.: 221KG

Installation size: 720*1900*1620mm

Weight stacks: 80kgs-16pcs

Converging Independent
Shoulder Press
C4A01



N.W.:173KG G.W.:253KG

Installation size:1560*1480*1640mm

Weight stacks: 70KG-14pcs

Converging Independent
Chest Press
C4A05



N.W.:180.5KG G.W.:269.5KG

Installation size:1100*1650*1900mm

Weight stacks: 90kg-18pcs

Converging Independent Lat
Pull Down
C4A15



N.W.:167.5KG G.W.:271.5KG

Installation size:1120*1610*2160mm

Weight stacks: 90KG-18pcs

Converging Independent Biceps
C4A10



N.W.:150.5KG G.W.:235KG

Installation size:1200*1590*1640mm

Weight stacks: 70KG-14pcs

Wrist Trainer
C4063



N.W.:144.5KG G.W.:220KG

Installation size:1550*850*1722mm

Weight stacks: 60KG-pcs

Cable Crossover
C1032



N.W.:162.5KG G.W.:224.5KG

Installation size:1680*940*2280mm

Weight stacks: 70KG*2-14pcs*2

C4D DUAL FUNCTION SERIES



Shoulder / Chest Press
C4D01

N.W.:249KG G.W.:261KG

Installation size:1638*1360*1620mm

Weight stacks:90KG-18pcs

Shoulder / Chest Press
C4D02

N.W.:223KG G.W.:235KG

Installation size:1473*716*2340mm

Weight stacks: 70KG-14pcs

Pectoral Fly/Rear Deltoid
C4D03

N.W.: 218KG G.W.: 228KG

Installation size: 1450*1250*2000mm

Weight stacks: 80KG-16pcs

Biceps/Triceps
C4D04

N.W.:203KG G.W.:213KG

Installation size:1120*1260*1620mm

Weight stacks:70KG-14pcs

Leg Extension/Lying Leg Curl
C4D09

N.W.:221KG G.W.:230KG

Installation size:1690*950*1620mm

Weight stacks:90KG-18pcs

Adductor/Abductor
C4D10

N.W.:205KG G.W.:217KG

Installation size:1620*716*1620mm

Weight stacks:80KG-16pcs

Leg Press/Seated Calf
C4D11

N.W.:278KG G.W.:322KG

Installation size:1610*990*1620mm

Weight stacks:100KG-20pcs

Leg Extension/ Leg Curl
C4D12

N.W.:240KG G.W.:277KG

Installation size:1340*1160*1625mm

Weight stacks:80KG-16pcs

Biceps/Triceps
C4D05

N.W.: 233KG G.W.: 255KG

Installation size: 1407*804*2227mm

Weight stacks: 100kg-20pcs

Lat pull down/Low row
C4D06

N.W.: 222KG G.W.: 233KG

Installation size: 1787*1213*2227mm

Weight stacks: 100kg-20pcs

Standing Assisted Chin/Dip
C4D07

N.W.: 250KG G.W.: 264KG

Installation size: 1000*1200*2250mm

Weight stacks: 80kg-16pcs

Ab Crunch/Back Extension
C4D08

N.W.:198KG G.W.:208KG

Installation size:1130*1039*1620mm

Weight stacks:70KG-14pcs

61A RACING SERIES



Shoulder Press
61A01



N.W.: 208KG G.W.: 218KG

Installation size: 1480*1310*1620mm

Weight stacks: 70kg-14pcs

Shoulder Press Converging
61A01A



N.W.: 224KG G.W.: 233KG

Installation size: 1480*1460*1620mm

Weight stacks: 70kg-14pcs

Pull Up Shoulder
61A02



N.W.: 190KG G.W.: 200KG

Installation size: 1125*1157*1620mm

Weight stacks: 70kg-14pcs

Lateral Raise
61A03



N.W.: 189KG G.W.: 198KG

Installation size: 872*1270*1620mm

Weight stacks: 60kg-12pcs

Chest Press
61A04



N.W.: 209KG G.W.: 218KG

Installation size: 1180*1380*1620mm

Weight stacks: 80kg-16pcs

Chest Press Converging
61A04A



N.W.: 218KG G.W.: 228KG

Installation size: 1150*1500*1620mm

Weight stacks: 80kg-16pcs

Pectoral fly
61A07



N.W.: 209KG G.W.: 220KG

Installation size: 1220*1300*1620mm

Weight stacks: 80kg-16pcs

Pectoral Fly and Rear Deltoid
61A09



N.W.: 218KG G.W.: 228KG

Installation size: 1450*1250*2000mm

Weight stacks: 80kg-16pcs

Biceps Curl
61A10



N.W.: 173KG G.W.: 182KG
Installation size: 1200*1270*1620mm
Weight stacks: 60kg-12pcs

Tricep Dip
61A11



N.W.: 211KG G.W.: 222KG
Installation size: 1020*1260*1620mm
Weight stacks: 80kg-16pcs

Tricep Extension
61A12



N.W.: 189KG G.W.: 198KG
Installation size: 1150*1270*1620mm
Weight stacks: 60kg-12pcs

Low Row
61A13



N.W.: 178KG G.W.: 187KG
Installation size: 720*2200*1620mm
Weight stacks: 80kg-16pcs

Standing Assisted Chin/Dip
61A16



N.W.: 250KG G.W.: 264KG
Installation size: 1000*1200*2250mm
Weight stacks: 80kg-16pcs

Knee-on Assisted Chin/Dip
61A16A



N.W.: 223KG G.W.: 235KG
Installation size: 1000*1200*2250mm
Weight stacks: 80kg-16pcs

Back Extension
61A17



N.W.: 184KG G.W.: 194KG
Installation size: 1160*1130*1620mm
Weight stacks: 70kg-14pcs

Upper/Mid Abdominal Trainer
61A18



N.W.: 181KG G.W.: 190KG
Installation size: 1130*1030*1620mm
Weight stacks: 70kg-14pcs

Low Row
61A13A



N.W.: 209KG G.W.: 218KG
Installation size: 1180*1380*1620mm
Weight stacks: 70kg-14pcs

Mid Row
61A14



N.W.: 191KG G.W.: 202KG
Installation size: 720*1900*1620mm
Weight stacks: 80kg-16pcs

Lat Pull Down
61A15



N.W.: 183KG G.W.: 192KG
Installation size: 1220*1100*2180mm
Weight stacks: 90kg-18pcs

Lat Pull Down Diverging
61A15A



N.W.: 246KG G.W.: 259KG
Installation size: 1600*1100*2000mm
Weight stacks: 90kg-18pcs

Lower Abdominal Trainer
61A18A



N.W.: 193KG G.W.: 202KG
Installation size: 1435*1146*1620mm
Weight stacks: 70kg-14pcs

Rotary Torso
61A19



N.W.: 179KG G.W.: 187KG
Installation size: 720*1458*1620mm
Weight stacks: 70kg-14pcs

Multi Hip
61A20



N.W.: 223KG G.W.: 233KG
Installation size: 1065*1508*1620mm
Weight stacks: 70kg-14pcs

Gluteus Maximus Trainer
61A21



N.W.: 196KG G.W.: 206KG
Installation size: 1216*820*1620mm
Weight stacks: 80kg-16pcs

Gluteus Maximus Trainer
61A21A



N.W.: 198KG G.W.: 210KG
Installation size: 1216*820*1620mm
Weight stacks: 80kg-16pcs

Inner Thigh Adductor
61A22



N.W.: 200KG G.W.: 208KG
Installation size: 720*1600*1620mm
Weight stacks: 80kg-16pcs

Outer Thigh Abductor
61A23



N.W.: 200KG G.W.: 208KG
Installation size: 720*1600*1620mm
Weight stacks: 80kg-16pcs

Adductor and Abductor
61A60



N.W.: 212KG G.W.: 221KG
Installation size: 720*1630*1620mm
Weight stacks: 80kg-16pcs

Seated Leg Press
61A28



N.W.: 255KG G.W.: 267KG
Installation size: 1410*1080*1620mm
Weight stacks: 100kg-20pcs

Seated Leg Press
61A28A



N.W.: 278KGS G.W.: 290KGS
Installation size: 1625*1040*1620mm
Weight stacks: 100kg-20pcs

Seated Calf
61A30



N.W.: 184KG G.W.: 194KG
Installation size: 1583*720*1620mm
Weight stacks: 80kg-16pcs

Standing Calf
61A31



N.W.: 214KG G.W.: 222KG
Installation size: 1280*720*1640mm
Weight stacks: 100kg-20pcs

Leg Extension
61A24



N.W.: 216KG G.W.: 228KG
Installation size: 1350*1200*1620mm
Weight stacks: 80kg-16pcs

Seated Leg Curl
61A25



N.W.: 232KG G.W.: 252KG
Installation size: 1350*1200*1620mm
Weight stacks: 80kg-16pcs

Standing leg curl
61A25A



N.W.: 235KG G.W.: 248KG
Installation size: 1310*1135*1620mm
Weight stacks: 70kg-14pcs

Prone Leg Curl
61A26



N.W.: 194KG G.W.: 205KG
Installation size: 1580*1120*1620mm
Weight stacks: 80kg-16pcs

Hip thruster
61A58



N.W.: 203KG G.W.: 215KG
Installation size: 1670*1129*1620mm
Weight stacks: 60kg-12pcs

Wrist Grip Trainer
61A63



N.W.: 163KG G.W.: 175KG
Installation size: 1550*850*1722mm
Weight stacks: 70kg-14pcs

Cable Crossover
61A32



N.W.: 385KG G.W.: 433KG
Installation size: 3940*720*2415mm
Weight stacks: 70KG-14pcs*2

Fuctional trainer
61A32B



N.W.: 333KG G.W.: 384KG
Installation size: 1680*940*2280mm
Weight stacks: 70KG-14pcs*2

55A DUAL FUNCTION SERIES



Shoulder / Chest Press
55A01



N.W.: 249KG G.W.: 261KG

Installation size: L1638*W1360*H1620

Weight stacks: 90kg-18pcs

Shoulder / Chest Press
55A02



N.W.: 223kg G.W.: 235kg

Installation size: L1473*W716*H2340

Weight stacks: 70kg-14pcs

Pec Deck/rear delt
55A03



N.W.: 218KG G.W.: 228KG

Installation size: 1450*1250*2000

Weight stacks: 80kg-16pcs

Biceps/Triceps
55A04



N.W.: 203kg G.W.: 213kg

Installation size: L1120*W1260*H1620mm

Weight stacks: 70kg-14pcs

Standig Biceps/Triceps
55A05



N.W.: 233KG G.W.: 255KG

Installation size: L1407*W804*H2227mm

Weight stacks: 100kg-20pcs

Lat pull down/Low row
55A06



N.W.: 222KG G.W.: 233KG

Installation size: L1787*W1213*H2227mm

Weight stacks: 100kg-20pcs

Assisted Dip/Chin up
55A07



N.W.: 250KG G.W.: 264KG

Installation size: 1000*1200*2250mm

Weight stacks: 80kg-16pcs

Ab crunch/Back extension
55A08



N.W.: 198kg G.W.: 208kg

Installation size: L1130*W1039*H1620mm

Weight stacks: 70kg-14pcs

Leg extension/Lying leg curl
55A09



N.W.: 221KG G.W.: 230KG

Installation size: L1690*W950*H1620mm

Weight stacks: 90kg-18pcs

Adductor/Abductor
55A10



N.W.:205KG G.W.:217KG

Installation size:L1620*W716*H1620

Weight stacks: 80KG-16pcs

Leg press/Calf
55A11



N.W.:278KG G.W.:322KG

Installation size:L1610*W990*H1620

Weight stacks: 100KG-20pcs

Leg extension / Leg curl
55A12



N.W.:240KG G.W.:277KG

Installation size:L1340*W1160*H1625

Weight stacks: 80KG-16pcs

73 TOUGH SERIES



Seated Shoulder Press
7301



N.W.: 247kgs G.W.:347kg
Installation size: 1630*1400*1610mm
Weight stacks: 70kg-14pcs

Incline Shoulder Press
7301A



N.W.: 245kgs G.W.:345kgs
Installation size: 1630*1650*1610mm
Weight stacks: 70kg-14pcs

Shoulder Pull Up
7302



N.W.: 230kgs G.W.:330kgs
Installation size: 1510*1225*1610mm
Weight stacks: 70kg-14pcs

Seated Lateral Raise
7303



N.W.: 250kgs G.W.:350kgs
Installation size: 1250*890*1610mm
Weight stacks: 70kg-14pcs

Pectoral Butterfly
7307



N.W.: 285kgs G.W.:385kgs
Installation size: 1830*1650*1610mm
Weight stacks: 90kg-18pcs

Cross Arm Trainer
7308



N.W.: 215kgs G.W.:315kgs
Installation size: 1290*1050*1713mm
Weight stacks: 90kg-18pcs

Pectoral Fly / Rear Deltoid
7309



N.W.: 215kgs G.W.:315kgs
Installation size: 1290*1050*1713mm
Weight stacks: 90kg-18pcs

Biceps Curl
7310



N.W.: 228kgs G.W.:328kgs
Installation size: 1560*930*1610mm
Weight stacks: 70kg-14pcs

Seated Chest Press Machine
7304



N.W.: 250kgs G.W.:350kgs
Installation size: 1690*870*1610mm
Weight stacks: 90kg-18pcs

Mid Chest Press
7305



N.W.: 254kgs G.W.:354kgs
Installation size: 1680*950*1815mm
Weight stacks: 90kg-18pcs

Seated Upper Chest Press
7305A



N.W.: 260kgs G.W.:360kgs
Installation size: 1680*950*1815mm
Weight stacks: 90kg-18pcs

Incline Chest Press
7306



N.W.: 260kgs G.W.:360kgs
Installation size: 1680*950*1815mm
Weight stacks: 90kg-18pcs

Tricep Dip
7311



N.W.: 230kgs G.W.:330kgs
Installation size: 1510*1225*1610mm
Weight stacks: 70kg-14pcs

Triceps Extension
7312



N.W.: 227kgs G.W.:327kgs
Installation size: 1560*930*1610mm
Weight stacks: 70kg-14pcs

Low Row
7313



N.W.: 190kgs G.W.:290kgs
Installation size: 1660*1070*1610mm
Weight stacks: 90kg-18pcs

Seated Row
7314



N.W.: 238kgs G.W.:338kgs
Installation size: 1465*1020*1610mm
Weight stacks: 90kg-18pcs

45° Upper back Pull down
7314A



N.W.: 271kgs G.W.:371kgs
Installation size: 1400*1145*2126mm
Weight stacks: 90kg-18pcs

Lat Pull Down
7315



N.W.: 271kgs G.W.:371kgs
Installation size: 1400*1145*2126mm
Weight stacks: 90kg-18pcs

Assisted Dip/ Chinning
7316



N.W.: 222kgs G.W.:322kgs
Installation size: 1250*1000*2450mm
Weight stacks: 90kg-18pcs

Back Extension
7317



N.W.: 220kgs G.W.:320kgs
Installation size: 1260*1100*1610mm
Weight stacks: 90kg-18pcs

Multi Hip
7320



N.W.: 252kgs G.W.:352kgs
Installation size: 1290*1080*1610mm
Weight stacks: 70kg-14pcs

Gluteus Maximus Trainer
7321



N.W.: 224kgs G.W.:324kgs
Installation size: 1220*890*1610mm
Weight stacks: 70kg-14pcs

Adduction
7322



N.W.: 238kgs G.W.:338kgs
Installation size: 1360*1160*1610mm
Weight stacks: 90kg-18pcs

Abduction
7323



N.W.: 238kgs G.W.:338kgs
Installation size: 1360*1160*1610mm
Weight stacks: 90kg-18pcs

Upper/ Mid Abdominal Trainer
7318



N.W.: 229kgs G.W.:329kgs
Installation size: 1200*1160*1610mm
Weight stacks: 70kg-14pcs

Lower Abdominal Trainer
7318A



N.W.: 230kgs G.W.:330kgs
Installation size: 1480*1100*1610mm
Weight stacks: 70kg-14pcs

Rotary Torso
7319



N.W.: 252kgs G.W.:352kgs
Installation size: 1200*1060*1610mm
Weight stacks: 70kg-14pcs

Side training
7319A



N.W.: 260kgs G.W.:360kgs
Installation size: 1200*1060*1610mm
Weight stacks: 70kg-14pcs

Adduction /Abduction
7360



N.W.: 238kgs G.W.:338kgs
Installation size: 1360*1160*1610 mm
Weight stacks: 90kg-18pcs

Leg Extension
7324



N.W.: 210kgs G.W.:310kgs
Installation size: 1600*1050*1610mm
Weight stacks: 90kg-18pcs

Seated Leg Curl
7325



N.W.: 219kgs G.W.:319kgs
Installation size: 1650*1070*1610mm
Weight stacks: 90kg-18pcs

Prone Leg Curl
7326



N.W.: 220kgs G.W.:320 kgs
Installation size: 1680x1060x1610mm
Weight stacks: 90kg-18pcs

Power Squat
7327



N.W.: 268kgs G.W.:368kgs

Installation size: 2015*1280*1610mm

Weight stacks: 90kg-18pcs

Seated Leg Press
7328



N.W.: 310kgs/485lbs G.W.:410kgs

Installation size: 2120*1100*1610mm

Weight stacks: 90kg-18pcs/198lbs-18pcs

45° Leg Press
7329



N.W.: 260kgs G.W.:360kgs

Installation size: 2800*1360*1580mm

Seated Calf
7330



N.W.: 244kgs G.W.:344kgs

Installation size: 1660*950*1610mm

Weight stacks: 100kg-20pcs

3D Smith Machine
7333A



N.W.: 280kgs G.W.:330kgs

Installation size: 2430*1783*2440

Power Cage
7334



N.W.: 147kgs G.W.:197kgs

Installation size: 1870*1460*1900mm

T bar row
7336



N.W.: 62kgs G.W.:112kgs

Installation size: 1570*830*500mm

Biceps Curl Rack
7337



N.W.: 40kgs G.W.:90kgs

Installation size: 970*830*900mm

Standing Calf
7331



N.W.: 268kgs G.W.:368kgs

Installation size: 1315*1100*1672mm

Weight stacks: 90kg-18pcs

Cable Crossover
7332



N.W.: 377kgs G.W.:427kgs

Installation size: 3850*700*2295mm

Weight stacks: 140kg-28pcs

Functional trainer
7332A



N.W.: 360kgs G.W.:410kgs

Installation size: 1765*1060*2220mm

Weight stacks: 140kg-28pcs

Smith Machine
7333



N.W.: 228kgs G.W.:276kgs

Installation size: 2502*1150*2310mm

Olympic Incline Bench
7338



N.W.: 102kgs G.W.:152kgs

Installation size: 1835*1740*1340mm

Olympic Flat Bench
7339



N.W.: 100kgs G.W.:150kgs

Installation size: 1835*1485*1125mm

Olympic Decline Bench
7340



N.W.: 100kgs G.W.:150kgs

Installation size: 1835*1785*1125mm

Adjustable Ab Board
7341



N.W.: 71kgs G.W.:121kgs

Installation size: 1720*725*1340mm

Angled Ab Board
7342



N.W.: 41kgs G.W.:51kgs

Installation size: 1525*665*950mm

Adjustable Roman Bench
7343



N.W.: 43kgs G.W.:93kgs

Installation size: 1282*862*933mm

Knees Up/Dip
7345



N.W.: 59kgs G.W.:109kgs

Installation size: 1077*783*1643mm

Multifunction Adjustable Bench
7346



N.W.: 29kgs G.W.:79kgs

Installation size: 1265*526*1095mm

Incline Bench 60°
7350



N.W.: 27kgs G.W.:77kgs

Installation size: 1032*525*1087mm

Plate Rack
7351



N.W.: 51kgs G.W.:101kgs

Installation size: 610*525*915mm

10 Pairs Dumbbell Rack
7353



N.W.: 74kgs G.W.:94kgs

Installation size: 2422*660*940mm

Five Tiers Barbell Rack
7354



N.W.: 80kgs G.W.:120kgs

Installation size: 560*850*1300mm

Decline Adjustable Bench
7346A



N.W.: 62kgs G.W.:112kgs

Installation size: 1600x630x1340mm

Multifunctional Flat Bench
7347



N.W.: 22kgs G.W.:72kgs

Installation size: 1153*536*485mm

Incline Bench 30°
7348



N.W.: 27kgs G.W.:77kgs

Installation size: 1032*525*1087mm

Incline Bench 45°
7349



N.W.: 27kgs G.W.:37kgs

Installation size: 1032*525*1087mm

Utility Bench
7355



N.W.: 20kgs G.W.:30kgs

Installation size: 680*600*860mm

Squat plate
7357



N.W.: 45kgs G.W.:55kgs

Installation size: 980*650*480mm

82 PLATE - LOADED SERIES



Iso-Lateral Incline Shoulder Press
82001



N.W.: 115KG G.W.: 174KG

Installation size: 1793*1777*975mm

Plate loaded Iso-Lateral Shoulder Press
82002



N.W.: 131KG G.W.: 182KG

Installation size: 1600*1620*1600mm

Iso-Lateral Wide Pulldown
82003



N.W.: 132KG G.W.: 194KG

Installation size: 1700*1300*2000mm

Iso-Laateral High Row
82004



N.W.: 150KG G.W.: 205KG

Installation size: 2000*1450*1780mm

Iso-Lateral Front Lat Pull Down
82004A



N.W.: 152KG G.W.: 230KG

Installation size: 1750*1800*2000mm

Ground Base Plate LoadedSquat/High
Pull
82005



N.W.: 106KG G.W.: 152KG

Installation size: 1850*1735*1350mm

T Bar Row
82006



N.W.: 78KG G.W.: 127KG

Installation size: 1920*970*1220mm

Iso Lateral Row
82007



N.W.: 148KG G.W.: 209KG

Installation size: 1877*1069*1067mm

Iso Lateral Upper Back Pull Down
82007A



N.W.: 145KG G.W.: 212KG

Installation size: 1884*1248*1748mm

Stand Pull Back
82008



N.W.: 80KG G.W.: 118KG

Installation size: 2006*886*1291mm

Ground Base Como Incline
82009



N.W.: 81KG G.W.: 115KG

Installation size: 1460*1420*1170mm

Ground Base Combo Twist
(Left Pull)
82010



N.W.: 75KG G.W.: 125KG

Installation size: 1300*1400*1200mm

Iso-Lateral Horizontal Bench Press
82015



N.W.: 116KG G.W.: 156KG

Installation size: 1690*1786*894mm

Plate Loaded Leg Press
82016



N.W.: 199KG G.W.: 276KG

Installation size: 1835*1660*1530mm

Iso Lateral Leg Press
82017



N.W.: 215KG G.W.: 264KG

Installation size: 1835*1660*1530mm

Plate Loaded Seated Calf
82018



N.W.: 86KG G.W.: 135KG

Installation size: 1670*690*1136mm

Ground Base Combo Twist
(Right Pull)
82011



N.W.: 75KG G.W.: 125KG

Installation size: 1300*1400*1200mm

Incline Chest Press
82012



N.W.: 142KG G.W.: 203KG

Installation size: 2100*1782*1210mm

Iso Lateral Decline Bench Press
82013



N.W.: 126KG G.W.: 171KG

Installation size: 1863*1625*816mm

Iso-Lateral Bench Press
82014



N.W.: 146KG G.W.: 215KG

Installation size: 1908*1068*1842mm

Standing Calf Machine
82019



N.W.: 123KG G.W.: 186KG

Installation size: 1517*1060*1571mm

Plate Loaded V Squat
82020



N.W.: 193KG G.W.: 258KG

Installation size: 2470*1130*1650mm

Standing Squat Trainer
82A20



N.W.: 194KG G.W.: 244KG

Installation size: 1700*1100*620

Ground Base Jammer
82021



N.W.: 134KG G.W.: 205KG

Installation size: 1660*1915*2030mm

Leg Press
82022



N.W.: 163KG G.W.: 221KG

Installation size: 2194*1166*1293mm

Iso Lateral Leg Extension
82023



N.W.: 130KG G.W.: 164KG

Installation size: 1500*1500*1000mm

Iso Lateral Leg Curl
82024



N.W.: 110KG G.W.: 143KG

Installation size: 1700*1550*950mm

Hip Trainer
82025



N.W.: 120KG G.W.: 160KG

Installation size: 1282*1160*1730mm

Plate Loaded Glute
82030



N.W.: 82KG G.W.: 133KG

Installation size: 1170*925*1420mm

Prone Leg Trainer
82031



N.W.: 206KG G.W.: 303KG

Installation size: 2317*1402*1404mm

Hip Trainer
82032



N.W.: 126KG G.W.: 182KG

Installation size: 1850*1385*1440mm

Hip Thrust Machine
82032A



N.W.: 126KG G.W.: 182KG

Installation size: 1850*1385*1440mm

Combo Decline
82026



N.W.: 170KG G.W.: 220KG

Installation size: 1580*1753*2160mm

Seated Shrug
82027



N.W.: 105KG G.W.: 112KG

Installation size: 1365*1620*1045mm

Linear Leg Press
82028



N.W.: 196KG G.W.: 234KG

Installation size: 2450*1200*1450mm

Ground Base Squat Lunge
82029



N.W.: 77KG G.W.: 116KG

Installation size: 1500*1325*800mm

Hack Squat & Leg Press
82034



N.W.: 85KG G.W.: 122KG

Installation size: 2450*1700*1415mm

45 Degree Hack Squat
82035



N.W.: 228KG G.W.: 276KG

Installation size: 2450*1200*1450mm

35 Degree Hack Squat
82035A



N.W.: 220KG G.W.: 282KG

Installation size: 2580*1705*1346mm

Ab Trainer
82036



N.W.: 108KG G.W.: 158KG

Installation size: 1650*1410*900mm

Lat Pull - Down Circular
82037



N.W.:123KG G.W.:174KG

Installation size:1234*1608*1960mm

Middle Chest Flight Machine
82038



N.W.:75KG G.W.:119KG

Installation size:1350*1617*1086mm

Triceps Machine
82039



N.W.:113KG G.W.:153KG

Installation size:1750*1165*1122mm

Pull Back Machine
82041



N.W.:116KG G.W.:164KG

Installation size:1823*1394*1330mm

Standing Belt - Style Squat Trainer
82B20



N.W.:168KG G.W.:222KG

Installation size:2150*1170*1500mm

Shoulder / Chest Combo
G2A38



N.W.:138KG G.W.:185KG

Installation size:1920*808*1750mm

Pull Over
G2039



N.W.:130KG G.W.:169KG

Installation size:1220*1160*1500

90 Degree Leg Press
82042



N.W.:238KG G.W.:295KG

Installation size:1817*1838*1910mm

Pendulum Squat
82043



N.W.:239KG G.W.:301KG

Installation size:2760*1400*1620mm

Pro Biceps Curl
82047



N.W.:105KG G.W.:140KG

Installation size:1480*1035*980mm

Pull Up Multifunctional Trainer
82037G



N.W.:137KG G.W.:182KG

Installation size:1500*1425*990mm

53/62/85 MULITGYM SERIES



Four Station Eight Function Trainer
5348



N.W.:840kgs G.W.:1040kgs
Installation size:3500*2880*2140mm
Weight stacks: 90kgs, 90kgs, 100kgs, 70kgs

Three Station Six Function Trainer
5336



N.W.:781kgs G.W.:981kgs
Installation size:3000*2330*2140mm
Weight stacks: 90kgs, 90kgs, 100kgs

4 Station Multi Jungle
6280



N.W.:699kgs G.W.:789kgs
Installation size:3550*2100*2400mm
Weight stacks: 70kgs, 70kgs, 90kgs, 90kgs

6 Station Multi Jungle
6280A



N.W.:800kgs G.W.:920kgs
Installation size:5360*3530*2400mm
Weight stacks: 70kgs, 70kgs, 70kgs, 90kgs, 90kgs

9 Station Multi Jungle
6280B



N.W.:1279kgs G.W.:1629kgs
Installation size:6660*3530*2400mm
Weight stacks: (70kgs, 70kgs, 90kgs, 90kgs) *2

14 Station Multi Jungle
6280C



N.W.:1958kgs G.W.:2328kgs
Installation size:11000*3530*2400mm
Weight stacks: (70kgs, 70kgs, 90kgs, 90kgs) *3

Smith&Functional Trainer Combo
8504



N.W.: 402KG G.W.: 475KG

Installation size: 1000*2360*2300mm

Weight stacks: 70KG*2-14pcs

Smith&Functional Trainer Combo
8502



N.W.: 488KG G.W.: 610KG

Installation size: 1620*2360*2300mm

Weight stacks: 70KG*2-14pcs

Smith&Functional trainer and power rack combo
8509



N.W.: 474KG G.W.: 540KG

Installation size: 1890*2100*2300mm

Weight stacks: 70KG*2-14pcs*2

4 Station Multi Jungle
F2001



N.W.: 699kgs G.W.: 789kgs

Installation size: 3550*2100*2400mm

Weight stacks: 70kgs, 70kgs, 90kgs, 90kgs

6 Station Multi Jungle
F2002



N.W.: 800kgs G.W.: 920kgs

Installation size: 5360*3530*2400mm

Weight stacks: 70kgs, 70kgs, 70kgs, 90kgs, 90kgs

9 Station Multi Jungle
F2003



N.W.: 1279kgs G.W.: 1629kgs

Installation size: 6660*3530*2400mm

Weight stacks: (70kgs, 70kgs, 90kgs, 90kgs) *2

Power Rack
G2049



N.W.: 296KG G.W.: 362KG

Installation size: 2167*1824*2480

Power Rack
G2050



N.W.: 381KG/840lbs G.W.: 328KG/723lbs

Installation size: 2080*2100*2480mm/82*83*98in

4 Station Multi Jungle
F2M01



N.W.: 699kgs G.W.: 789kgs

Installation size: 3550*2100*2400mm

Weight stacks: 70kgs, 70kgs, 90kgs, 90kgs

14 Station Multi Jungle
F2004



N.W.: 1958kgs G.W.: 2328kgs

Installation size: 11000*3530*2400mm

Weight stacks: (70kgs, 70kgs, 90kgs, 90kgs) *3

BENCH AND RACK



Smith Machine
61A33



N.W.: 174KG G.W.: 192KG

Installation size: 2360*1010*2245mm

Power Cage
61A34



N.W.: 157KG G.W.: 164KG

Installation size: 1280*1310*2320mm

Biceps Curl Rack
61A37



N.W.: 53KG G.W.: 58KG

Installation size: 800*1050*980mm

Olympic Incline Bench
61A38



N.W.: 113KG G.W.: 122KG

Installation size: 1560*1890*1330mm

Olympic Flat Bench
61A39



N.W.: 79KG G.W.: 85KG

Installation size: 1560*1620*1160mm

Olympic Decline Bench
61A40



N.W.: 90KG G.W.: 96KG

Installation size: 1560*1950*1160mm

Adjustable AB Board
61A41



N.W.: 48KG G.W.: 53KG

Installation size: 1700*660*730mm

Angled AB Board
61A42



N.W.: 33KG G.W.: 40KG

Installation size: 1440*627*736mm

Adjustable Roman Bench
61A43



N.W.: 56KG G.W.: 61KG

Installation size: 1350*920*950mm

Knees Up/Dip
61A45



N.W.: 70KG G.W.: 78KG

Installation size: 840*1260*1530mm

Knees Up/Dip
61A45A



N.W.: 98KG G.W.: 107KG

Installation size: 1290*1260*2370mm

Multifunction Adjustable Bench
61A46



N.W.: 46KG G.W.: 51KG

Installation size: 1350*520*430mm

Plate Rack
61A51



N.W.: 37KG G.W.: 42KG

Installation size: 1100*600*1200mm

10 Pairs Dumbbell Rack
61A53



N.W.: 67KG G.W.: 79KG

Installation size: 2350*740*810mm

15 Pairs Dumbbell Rack
61A53A



N.W.: 105KG G.W.: 113KG

Installation size: 2350*740*980mm

10 Pairs Dumbbell Rack
61A53H



N.W.: 67KG G.W.: 79KG

Installation size: 2350*740*810mm

Multifunction Adjustable Bench
61A46B



N.W.: 50KG G.W.: 55KG

Installation size: 1350*520*430mm

Multifunctional Flat Bench
61A47



N.W.: 26KG G.W.: 31KG

Installation size: 1200*520*440mm

Utility Bench
61A55



N.W.: 25KG G.W.: 28KG

Installation size: 670*510*1060mm

Sissy squat combo trainer
61A57



N.W.: 45KG G.W.: 50KG

Installation size: 1322*1053*1660mm

15 Pairs Dumbbell Rack
61A53AH



N.W.: 105KG G.W.: 113KG

Installation size: 2350*740*980mm

Five Tiers Barbell Rack
61A54



N.W.: 64KG G.W.: 70KG

Installation size: 910*820*1330mm

CARDIO



Treadmill-YA75TV



The 19-inch LCD ,Touch Panel TV smart computer, equipped with the latest eight-core processor. Combine all platforms and buttons. It is an ultra-high resolution TFT touch screen system design, which provides users with a clearer and faster operating platform. Compatible with Android system; WIFI wireless network connection function; real-world interactive training program: the treadmill automatically changes the slope or speed according to the change of the actual scene;

Support live mode

Double safety switch, athletes can use wire clamp to stretch or squeeze to achieve safe shutdown operation.

YA75TV equipped with aluminum alloy anti-skid pedals not only increase the grade of the machine and more safety of the machine. Unlike plastic pedals and fake aluminum pedals, plastic pedals are not durable enough, and fake aluminum pedals are prone to rust.

Maintenance-free running board, no need maintenance for life. It is strictly forbidden to wax or lubricate running belt.

3 HP AC PV: 7.0 HP

incline: 0%-15%

Speed: 0.8-22KM

Running area: 1530x560 mm

Floor area: 2135x935x1580mm

Carton size 2370*1010*550mm

Gross weight: 204kg Net weight: 184.5kg Maximum load: 180KG

Treadmill-YA75



The display panel adopts high-definition LED display, the parameter partition display, the reading is more clear.

The buttons equipped with light-sensitive touch technology. The finger can be placed at a distance of 2 mm to perceive and control the treadmill.

The new light-sensitive button design no need replacement of the panel after long time using. It does not need to be pressed hard, and can be operated by only a light touch. For the part of digital input, the innovation adopts digital technology, allowing users to input the numbers they want.

The instrument panel is made of acrylic plate material, which has high strength and durability, which solves the problem of key damage after long time.

incline adjustment takes 0.1 as a level to make the sports data more precise. The traditional adjustment level is 1.

Double safety switch, Users can use wire clamp to stretch or squeeze to achieve safe shutdown operation.

YA75 equipped with aluminum alloy anti-skid pedals not only increase the grade of the machine and the safety of the machine. Unlike plastic pedals and fake aluminum pedals, plastic pedals are not durable enough, and fake aluminum pedals are prone to rust.

3 HP AC PV: 7.0 HP

incline: -3%-15% Speed: 0.8-22 km/h

Footprint: 2280 x 990x 1650 mm

Running area: 550 x 1575 mm

Carton size: 2370*1010*550mm

Gross weight: 220 KGS Net weight: 196 KGS

Maximum load: 180kg

Treadmill-Ai63



Clear and easy - to - read LED display, runs a variety of workout programs as 4 HRC, 3 Physical test, 2 HIIT, Interval, fat burn, cardio, built - in 12 programs.

Optional Bluetooth connectivity to enjoy personal playlist and is compatible with apps of Kinomap and Zwift.

Motor(Peak): AC 3.0 HP (peak 6.0HP)

Readouts: Incline, Distance, Calories, Time, Speed, Heart rate

Programs: 22 sets preset program groups

Features: Lubrication - free deck, Audio input hole, Speaker, Reading rack, Oversized accessory tray

Speed 0 - 4 - 22km/h

Elevation: 0 - 15 level

Running Surface: 560 x 1600 mm

Max. User Weight: 180 kg / 400 lbs

NW: 152 kgs

GW: 174 kgs

Assembled Dimension: 2050 x 950 x 1520 mm

Carton Size: 2185x 985 x 530 mm

Container Q'ty: 24 pcs / 48 pcs / 40'HQ - 48 - 59 pcs

MOQ: 24 pcs

Treadmill-Ai63T



21.5" TFT - LCD Touch Screen
HD display: 1920*1080
Program includes: Goal, 3 HRC, Fitness test, 4 User and Built - in 32 programs.
Media: YouTube, Chrome, Facebook, Twitter, Instagram, Netflix
Built - in 8 Vision
Supports mirror - cast mobile devices on the display. Casting anything from your mobile device to a large screen.
Screen mirroring - enabled, using the same Wi - Fi connection for both treadmill and mobile device, you can mirror phone screen to the console.
And it is available for both iOS and Android mobile device.
Bluetooth connectivity allows to play audio from mobile device through its built - in speakers or connect console with wireless headphone.
Motor(Peak): AC 3.0 HP (peak 6.0HP)
Readouts: Incline, Distance, Calories, Time, Speed, Heart rate
Programs: 9sets preset program groups
Features: Lubrication - free deck, Audio input hole, Speaker, Reading rack, Oversized accessory tray
Speed: 0.8 - 22km/h
Elevation: 0 - 15level
Running Surface: 560 x 1600 mm
Max. User Weight: 180 kg / 400 lbs
NW: 152 kgs
GW: 174 kgs
Assembled Dimension: 2050 x 950 x 1520 mm
Carton Size: 2185x 985 x 530 mm
Container Q'ty: 24 pcs / 48 pcs / 40HQ - 48 - 59 pcs
MOQ: 24 pcs

Treadmill-YV9T



Console:19.5" LCD Touch screen with fans,
Heart rate: Display heart rate through touching handles with your double hands;
Function: Display speed, distance, time, slope, heart rate, calorie and procedure establishment;
Program:12 groups of speed preset programs using the internationalization standard pattern;
*airbag system for anti-shock
Max user weight:180 kg/ 395lbs;
Machine size(L*W*H):2083*982*1620mm;
Applicable running area:1550*585mm;
G.W / N.W:242.2kgs/217.5kgs.
3 HP AC PV: 7.0 HP
0.8-20km/h 0-21% incline
19pcs/20'GP 40pcs/40'HQ
Carton size: 2170*1020*455mm 1050*1020*390mm

Treadmill-YV9



Console:LED with fans
Heart rate:Display heart rate through touching handles with your double hands;
Function: Display speed, distance, time, slope, heart rate, calorie and procedure establishment;
Program:12 groups of speed preset programs using the internationalization standard pattern;
*airbag system for anti-shock
Max user weight:180 kg/ 395lbs;
Machine size(L*W*H):2083*982*1620mm;
Applicable running area:1550*585mm;
G.W / N.W:242.2kgs/217.5kgs.
3 HP AC PV: 7.0 HP
0.8-20km/h 0-21% incline
19pcs/20'GP 40pcs/40'HQ
Carton size: 2170*1020*455mm 1050*1020*390mm

Treadmill-YV8



2 HP AC PV: 5.0 HP
Run Area:1450*560mm
Display:LED
Readouts:Speed,Distance,Time,Slope,Heart rate,Calorie,Program
Other Fan,Heart rate, wireless heart rate, wireless charge
Foldable No
Program:12 groups of speed preset programs using the internationalization standard pattern;
FITSHOW APP
24pcs/20'GP 67pcs/40'HQ
0.8-20km/h 0-18% incline
N.W: 159kg G.W: 175kg
Carton size: 2180*970*450mm
Machine size: 2000*879*1625mm

Treadmill-YV8T



2 HP AC PV: 5.0 HP
Max. User Weight:180KG
Run Area:1450*560mm
Display:21.5" Touch TV
Readouts:Speed,Distance,Time,Slope,Heart rate,Calorie,Program
Other Fan,Heart rate, wireless heart rate, wireless charge
Foldable No
Program:12 groups of speed preset programs using the internationalization standard pattern;
FITSHOW APP
24pcs/20'GP 67pcs/40'HQ
0.8-20km/h 0-18% incline
N.W: 162kg N.W: 178kg
Machine size: 2000*879*1625mm
Carton size: 2180*970*450mm

Treadmill- Hero-8000



LED console
Belt adjusted automatically Motor belt adjusted automatically
Fan included
Speed : 1-20 km/h
Incline : 0-20%
Motor: AC motor
House power: Continuous 3.0 HP
Peak: 7.0HP
N.W 233 kg G.W: 287 k
Running belt: 580(width)*3460(perimeter)mm,
Installation size:2370*930*1600 mm
Package size: 2310*1120*700 mm

Recumbent Bike- 705R



4 White LED Windows, 1 News Ticker
Power System: Self-generating Generator
Specification
Assembled Dimension : 1645x655 x 1365 mm
Resistance Level : 1-40 level
NW : 72 . 8 kg

Elliptical- 705D



4 White LED Windows, 1 News Ticker
Power System: Self-generating Generator
Oversized pedals for safety and comfort.
Specification
Assembled Dimension : 2030x718 x 1745 mm
Resistance Level : 1-40 level
NW : 113 . 6 kg

Upright Bike- 705U



4 White LED Windows, 1 News Ticker
Power System: Self-generating Generator
Specification
Assembled Dimension: 1180x663 x 1480 mm
Resistance Level: 1-40 level
NW: 65 . 6 kg

Recumbent Bike- 705R-T



High resolution 15.6 inch touch screen
Input voltage: 220-240V
Specification
Assembled Dimension : 1645x655 x 1365 mm
Resistance Level : 1-40 level
NW : 71 kg

Elliptical- 705D-T



High resolution 15.6 inch touch screen
Oversized pedals for safety and comfort.
Input voltage : 220-240V
Specification
Assembled Dimension : 2030x718 x 1745 mm
Resistance Level : 1-40 level
NW : 111 . 6 kg

Upright Bike- 705D-T




High resolution 15.6 inch touch screen
Input voltage: 220-240V
Specification
Assembled Dimension: 1180x663 x 1480 mm
Resistance Level: 1-40 level
NW: 71 kg

Spin Bike- SP-D501



Main frame, three spray and three baking paint
 The rider Qiaoshan has the same armrest, with double bottle cage, mobile phone holder, PVC advanced dipping process, front and rear adjustable
 Resistance system Top brake system, cowhide, magnetic resistance adjustment
 The seat tube can be adjusted up and down.
 Cushion Taiwan Weile Professional Mountain Bike Cushion
 Pedals Kalong high-grade commercial aluminum beating pedals with SPD professional cycling shoe buckle
 Axis diameter 25MM
 Product assembly size 1260*545*1225MM
 Packing size 1055*270*955MM
 Flywheel 16KG reluctance flywheel
 Transmission 5PK belt for industrial grade
 Bottle cage PVC high-grade dipping double bottle cage
 Gross/net weight 68kg/62kg
 Capacity:135kg

GYM ACCESSORIES - DUMBBELL



Rubber Hex Dumbbell
DBR001



Handle finished: Bright chrome
Material: Steel + rubber
Weight range: 5 kg to 50kg in 5 kg increment
10 lb to 120 lb in 10 lb increment
Bar size: 1000mm
Dia of handle: 32mm
Tolerance of weight: ±3%.

Round Head Rubber Dumbbell
DBR002



Finishing: Bright chrome Handle
Weight Range: 2.5 kg to 50 kg in 2.5 kg increment / 5 lbs to 110 lbs
in 5 lbs increment
Length of handle: 130 mm
Dia of handle: 32 mm

Urethane Round Head Dumbbell (CPU)
DBC001



Handle type: Knurled Straight handle
Handle finish: Hard chromed finishing
Weight Range: 2.5, 5, 7.5—70KG 2.5kg increment / 2, 4, 6—50KG 2kg
increment/5, 10, 15—120LB 5lb increment / 1, 2, 3-10KG
Length of handle: 151mm
Dia of handle: 32MM up to 22kg, 34MM for anything over
22kg 28mm for 1kg
Tolerance: +/-2% Logo: laser / customized

Rubber round head Barbell fixed weight straight
BSR001S



Handle type: Knurled Straight handle Handle
finish: Hard chromed finishing Length of handle : 151mm
Dia of handle: 31mm for 2-18kg, 33mm for 20-50kg, 31mm for 5-45b
33mm for 50-100lb
Tolerance: ±2%

Urethane 12-sided dumbbell (CPU)
DBC003



Handle type: Knurled Straight handle
Handle finish: Hard chromed finishing
Weight Range: 2.5—60KG 2.5kg increment
2—50KG 2kg increment
Length of handle: 151mm
Dia of handle: 32mm up to 22kg, 3mm for anything over 22kg
28mm for 1kg
Tolerance: ±2% Logo: laser / customized

Urethane round head dumbbell (TPU)
DBT001



Handle type: Knurled Straight handle
Handle finish: Hard chromed finishing
Weight Range: 2.5, 5, 7.5—60KG 2.5kg increment
2, 4, 6—50KG 2kg increment
5, 10, 15—150LB 5lb increment
Length of handle: 151mm
Dia of handle: 32mm up to 22kg, 34mm for anything over 22kg 28mm
for 1kg
Tolerance: ±2% Logo: laser / customized

Rubber round head Barbell fixed weight straight
BSR001S



Handle finished: Bright chrome
Material: Steel + rubber
Weight range: 5 kg to 50kg in 5 kg increment
10 lb to 120 lb in 10 lb increment
Bar size: 1000mm
Dia of handle: 32mm
Tolerance of weight: ±3%

Rubber round head Barbell fixed weight curl
BSR001C



Handle finished: Bright chrome
Material: Steel + rubber
Weight range: 5 kg to 55kg in 5 kg increment
10 lb to 120 lb in 10 lb increment
Bar size: 1000mm
Dia of handle: 32mm
Tolerance of weight: ±3%

Urethane round head Barbell fixed weight straight
BSC001S



Handle finished: Hard chrome
Material: Steel + CPU
Weight range: 10-55KG 5kg increment
Bar size: 890mm
Dia of handle: 32mm
Tolerance of weight: ±2%
MOQ: 4PCS/SIZE
Logo: Laser logo free

Urethane round head Barbell fixed weight curl
BSC001C



Handle finished: Hard chrome
Material: Steel + CPU
Weight range: 10-55KG 5kg increment
Bar size: 890mm
Dia of handle: 32mm
Tolerance of weight: ±2%
MOQ: 4PCS/SIZE Logo: Laser logo free

GYM ACCESSORIES - PLATES



12-sided rubber plates
WPR001



Material: cast iron with rubber coating
Dia of hole: 51 mm
Weight Range: 1.25, 2.5, 5, 10, 15, 20, 25 kg
2.5, 5, 10, 25, 35, 45lb
Tolerance: ±3% 供应商: 盛捷

12-sided rubber plates
WPR001M



Material: cast iron with rubber coating
Dia of hole: 51 mm
Weight Range: 1.25, 2.5, 5, 10, 15, 20, 25 kg
2.5, 5, 10, 25, 35, 45lb
Tolerance: ±3%

Trigrip Rubber Plates
WPR002



Material: cast iron with rubber coating
Dia of hole: 51 mm
Weight Range: 1.25, 2.5, 5, 10, 15, 20, 25 kg
2.5, 5, 10, 25, 35, 45lb
Tolerance: ±3%

Trigrip Rubber Plates
WPR002M



Material: cast iron with rubber coating
Dia of hole: 51 mm
Weight Range: 1.25, 2.5, 5, 10, 15, 20, 25 kg
2.5, 5, 10, 25, 35, 45lb
Tolerance: ±3%

Weight Plates (CPU)
WPC003



Material: polyurethane
Stainless steel insert ring
Dia of hole: 50.8 mm
Weight Range: 1.25/2.5/5/10/15/20/25KG
Tolerance: ±2%

HI IMPACT PLATES - black
BPR001



Material: Rubber Crumbs+Adhesive+Stainless steel 304 Inserts
Diameter: 450MM / 17.72" (IWF Standard)
Collar Opening: 50.60 ±0.2mm / 1.99"±0.008"
Stainless Steel Weight Range: 2.5, 5, 10, 15, 20, 25 kg /10lb, 15lb, 25lb, 35lb, 45lb, 55lb,
Weight Tolerance: +/- 1% of claimed weight

Hi-Temp/ Crumbs Plates With Color
Number
BPRH001



Material: Rubber Crumbs+Adhesive+Stainless steel 304 Inserts
Diameter: 450MM / 17.72" (IWF Standard)
Collar Opening: 50.60 ±0.2mm / 1.99"±0.008"
Stainless Steel Inserts
Weight Range: 2.5, 5, 7.5, 10, 15, 20, 25 kg /10lb, 15lb, 25lb, 35lb, 45lb, 55lb,
Weight Tolerance: +/- 1% of claimed weight

Rubber Bumper Plates
BPR002



Material: NR+SBR+ Stainless steel 304 Inserts
Diameter: 450MM / 17.72" (IWF Standard)
Collar Opening: 50.60 ±0.2mm / 1.99"±0.008"
Stainless Steel Inserts
Weight Range: 5, 10, 15, 20, 25 kg / 10, 15, 25, 35, 45, 55 lb
Weight Tolerance: +/- 2% of claimed weight

Trigrip Rubber Plates
WPR003



Material: cast iron with rubber coating
Dia of hole: 51 mm
Weight Range: 2.5/5/10/15/20/25KB
Tolerance: ±3%

Trigrip Rubber Plates
WPR004



Material: cast iron with rubber coating
Dia of hole: 51 mm
Weight Range: 1.25, 2.5, 5, 10, 15, 20, 25 kg
Tolerance: ±3% 供应商: 盛捷

Urethane Weight Plates (CPU)
WPC001



Material: polyurethane
Stainless steel insert ring
Dia of hole: 50.8 mm
Weight Range: 1.25kg 2.5kg 5kg 10kg 15kg 20kg 25kg
2.5/5/10/25/35/45/55LB
Tolerance: ±2%

Urethane Weight Plates (CPU)
WPC002



Material: polyurethane
Stainless steel insert ring
Dia of hole: 50.8 mm
Weight Range: 1.25/2.5/5/10/15/20/25KG
Tolerance: ±2%

Rubber Bumper Plates (multicolor)
BPR002M



Material: NR+SBR+ Stainless steel 304 Inserts
Diameter: 450MM / 17.72" (IWF Standard)
Collar Opening: 50.60 ±0.2mm / 1.99"±0.008"
Stainless Steel Inserts
Weight Range: 5, 10, 15, 20, 25 kg /10, 15, 25, 35, 45, 55 lb
Weight Tolerance: +/- 2% of claimed weight
Color: gray/green/yellow/blue/red
lb: green/orange/yellow/blue/red

Competition Bumper Plate
BPR003



Material: NR+SBR60%
Outside Diameter: 450MM
Inside Diameter: 50.40 ±0.1mm / 1.98"±0.004"
Insert Type: Iron Disc, Chrome Plated
Weight Range: 10, 15, 20, 25 kg
25, 35, 45, 55 lb
Weight tolerance: +/- 10 grams of claimed weight

Competition Bumper Plate
BPR003M



Material: NR+SBR60%
Outside Diameter: 450MM
Inside Diameter: 50.40 ±0.1mm / 1.98"±0.004"
Insert Type: Iron Disc, Chrome Plated
Weight Range: 10, 15, 20, 25 kg
25, 35, 45, 55 lb
Weight tolerance: +/- 10 grams of claimed weight
Color: green/yellow/blue/red

Fractional plates
FP-01



Material: 45 # steel + Rubber
Insert Type: Iron Disc, Chrome Plated
Weight Range: 0.5, 1, 1.5, 2, 2.5, 5kg / 2.5, 5, 10 lb

Fractional plates
FP-02



Material: Rubber
Insert Type: Iron Disc, Chrome Plated
Weight Range: 1.25, 2.5 kg

Urethane Bumper Plate
BPC008




Outside Diameter: 450MM (IWF Standard)
Inside Diameter: 51mm / 2"
Weight Range: 5, 10, 15, 20, 25 kg
10, 25, 35, 45, 55 lb
Weight Tolerance: +/- 2%
Color: gray/white/green/yellow/blue/red

GYM ACCESSORIES - BARBELL




**Women's Barbell
OB25**



Bar Type: Women's Barbell
Bar Weight: 15kg
Shaft Diameter: 25mm
Knurl Marks: 1.2mm
Knurl: standard
Knurl Type: Dual (IPF+IWF)-6
Center Knurl: No
Whip: good
Bar Length: 2010mm
Loadable Sleeve Length: 325mm
Shaft Coating: Hard Chrome
Sleeve Coating: Hard Chrome
Bushing/Bearing: 10 Needle Bearings
Tensile Strength: 215,000 PSI
Max Load: 1200lbs/kg

**Men's Barbell
OB2801**




Bar Type: Men's Barbell
Bar Use: multi
Bar Weight: 20kg
Shaft Diameter: 28mm
Knurl Marks: 1.2mm
Knurl: standard
Knurl Type: Dual (IPF+IWF)-6
Center Knurl: No
Whip: good
Bar Length: 2200mm
Loadable Sleeve Length: 415mm
Shaft Coating: Hard Chrome
Sleeve Coating: Hard Chrome
Bushing/Bearing: 10 Needle Bearings
Tensile Strength: 215,000 PSI
Max Load: 1500lbs/680kg

**Men's Barbell
OB2802**



Bar Type: Men's Barbell
Bar Use: multi
Bar Weight: 20kg
Shaft Diameter: 28mm
Knurl Marks: 1.2mm
Knurl: standard
Knurl Type: Dual (IPF+IWF)-6
Center Knurl: No
Whip: good
Bar Length: 2200mm
Loadable Sleeve Length: 415mm
Shaft Coating: Chrome
Sleeve Coating: Chrome
Bearings/Bushings: 4 Needle Bearings
or 4 Bronze Bushings
Tensile Strength: 190,000 PSI
Max Load: 1200lbs/kg

**Weightlifting
OB2803**



Bar Type: Men's Barbell
Bar Use: weightlifting
Bar Weight: 20kg
Shaft Diameter: 28mm
Knurl Marks: 1.5mm
Knurl: sharp
Knurl Type: IWF-4
Center Knurl: No
Whip: Best
Bar Length: 2200mm
Loadable Sleeve Length: 415mm
Shaft Coating: Chrome
Sleeve Coating: Hard Chrome
Bushing/Bearing: 10 Needle Bearings
Tensile Strength: 190,000 PSI
Max Load: 1500lbs/680kg

**Squat Bar
OB32PRO**



Bar Type Man's bar
Bar use Squat Bar
Bar Weight 25kg
Shaft Diameter 32mm
Knurl Marks: 1.5mm
Knurl: Sharp
Knurl Type IPF-3
Full aggressive knurling across the bar
Whip Stiff
Bar Length 2400mm
Loadable Sleeve Length 425mm
Shaft Coating Black Phosphate
Sleeve Coating Hard Chrome
Bushing/Bearing 4 Bronze Bushings
Tensile Strength 205,000 PSI
Max load 1800lbs/816kg

**Power lifting
OB29PRO**



Bar Type: Man's bar
Bar use: power lifting
Bar Weight 20kg
Shaft Diameter 29mm
Knurl marks: 1.5mm
Knurl: sharp
Knurl Type IPF-5
Center Knurl Yes
Whip Stiff
Bar Length 2200mm
Loadable Sleeve Length 415mm
Shaft Coating Black Phosphate
Sleeve Coating Hard Chrome
Bushing/Bearing 4 Bronze Bushings
Tensile Strength 205,000 PSI
Max load 1800lbs/816kg

**Deadlift Bar
OB27PRO**



Bar Type Man's bar
Bar use: deadlifting
Bar Weight 20kg
Shaft Diameter 27mm
Knurl marks: 1.5mm
Knurl: Sharp
Knurl Type IPF-4
Center Knurl no
Whip Best
Bar Length 2330mm
Loadable Sleeve Length 425 mm
Shaft Coating Black Phosphate
Sleeve Coating Hard Chrome
Bushing/Bearing 4 Bronze Bushings
Tensile Strength 170,000 PSI
Max load 1000lbs/456kg

**EZ Bar
CB47**



Bar Type EZ BAR
Bar Weight 10kg
Shaft Diameter 28mm
Knurl Depth 1.2mm
Bar Length 1200mm
Loadable Sleeve Length 170mm
Shaft Coating Black
Sleeve Coating hard Chrome
Bearings/Bushings 2 Needle Bearings
Tensile Strength 45,000 PSI
Max load 300lbs/136kg

Safety squat bar
SSB01



Material: A3 steel
Finishes: Bright Chrome
Bearing: 2 ball bearing
Internal diameter: 28 mm
Weight: 22 kg
Handle angle: 90 °
Tolerance: ±1%
Capacity: 700LB

Safety squat bar
SSB02



Material: A3 steel
Finishes: Bright Chrome
Bearing: 2 ball bearing
Internal diameter: 28 mm
Weight: 22 kg
Handle angle: 35 °
Tolerance: ±1%
Capacity: 700LB

OLYMPIC SWISS BAR
OSB01



Material: A3 steel
Finishes: bright chrome
Tolerance: ±1%
L ength: 2118mm
Weight: 35 kg
Capacity: 1000 LB

HEX 56
HEX 56



Material: A3 steel
Finishes: bright chrome
Internal diameter: 28 mm
Length:1420mm
Tolerance: ±1%
Capacity: 500 LB

HEX 72
HEX 72



Material: A3 steel
Finishes: bright chrome
Internal diameter: 28 mm
Bearing: 2
Tolerance: ±1%
Length: 1820mm
Bearing: 2 ball bearing
Capacity: 500LB

Curl bar
CB4701



Material: A3 steel
Finishes: bright chrome
Bearing: 2 ball bearing
Internal diameter: 28 mm
Weight: 9.6 kg
Tolerance: ±1%
Capacity: 500 LB

Curl bar
CB4702



Material: A3 steel
Finishes: bright chrome
Bearing: 2
Internal diameter: 28 mm
Weight: 10 kg
Tolerance: ±1%
Capacity: 500 LB

Triceps Weight Bar
TB01



Material: A3 steel
Finishes: bright chrome
Tolerance: ±1%
L ength: 865mm
Weight: 20 kg
Internal diameter: 195mm

Cerakote Women Bar
CKWMB-2010



Material: Alloy steel
Finishes: Cerakote
Tolerance: $\pm 1\%$
Length: 2010mm
Weight: 15 kg
Internal diameter: 25mm
4 needle bearing, 1000lb capacity

Cerakote Men Bar
CKMBB-2200



Material: Alloy steel
Finishes: Cerakote
Tolerance: $\pm 1\%$
Length: 2200mm
Weight: 20 kg
Internal diameter: 28mm
8 needle bearing, 1500lb capacity

GYM ACCESSORIES - FUNCTIONAL



Vinyl kettlebell
KBV001



Material: Cast iron
Finishes: Vinyl dip
Tolerance: $\pm 3\%$
Weight range:

Urethane kettlebell
KBP001



Handle: Hard chrome finishing
Weight Range: 4,6,8,10,12,14,16,18,20,22,24,26,28,32KG
Weight Tolerance: $\pm 2\%$

Urethane kettlebell
KBC001



Handle: Hard chrome finishing
Weight Range: 9,10,11,12----40KG
Weight Tolerance: $\pm 2\%$

Speed Jump Rope
JR0802



Material: Silicone gel handle+ Steel wire with PVC cover
Length: 3m
Bearing connection
Diameter: 2.5mm
Length of handle: 12cm
N.W.: 135g
Color: black, red

Speed Jump Rope
JR1603



Material: Aluminum handle+ Steel wire with PVC cover
Bearing connection
Length: 3m Diameter: 2.5mm
Length of handle: 18cm
Bearing connection
N.W.: 150g
Color: blue, red, golden, purple, silver, black

Speed Jump Rope
JR2204



Material: Aluminum + Steel wire with PVC cover
Bearing connection
Length: 3m
Diameter: 2.5mm
Length of handle: 16cm
N.W.: 150g
Color: blue, golden, silver, black, red

Urethane kettlebell
KBC002



Handle: Hard chrome finishing
Weight Range: 9,10,11,12----40KG
Weight Tolerance: $\pm 2\%$

Cast iron kettlebell
KBI001




Handle: bright chrome finishing
Weight Range: 4, 6, 8, 10, 12, 16, 18, 20, 24, 28, 32, 36, 40, 44, 48kg
9lb, 13lb, 18lb, 26lb, 35lb, 44lb, 53lb, 62kg, 70lb, 80lb, 88lb, 97lb, 106lb, 124lb, 150lb
Weight Tolerance: $\pm 2\%$

Speed jump rope
JR0601



Material: pp handle + Steel wire with pvc cover
Bearing connection 2 bearings inside
Length: 3m
Diameter: 2.5mm
Length of handle: 15cm
N.W.: 100g
Color: Blue, black, red, green, pink

Speed jump rope
JR2305



Material: Aluminum handle + Steel wire with PVC cover
Bearing connection
Length: 3m
Diameter: 2.5mm
Length of handle: 17cm
N.W.: 210kg
Color: blue, golden, silver, black, red

Speed Jump Rope
JR2406



Material: Foam handle+ Steel wire with PVC handle
4 bearing connection (for competition)
Length: 3m
Diameter: 2.5mm
Length of handle: 16cm
N.W.: 115g
Color: blue, golden, silver, black, red

Barbell Silicone Hand Grip
BC01



Material: Nylon
Outer diameter: 9cm
Inner diameter: 50mm
Color: red, blue, yellow, black, gray
N.W.: 360g

Barbell Silicone Hand Grip
BC02



Material: Thermoplastic Rubber
Outer diameter: 7cm
Inner diameter: 50mm
Color: red, blue, yellow, black, gray
N.W.: 300g

Barbell Silicone Hand Grip
BC03



Material: Nylon
Outer diameter: 9cm
Inner diameter: 50mm
Color: red, blue, yellow, black, gray
N.W.: 400g

Barbell Silicone Hand Grip
BC04



Material: Aluminum alloy
Outer diameter: 9cm
Inner diameter: 50mm
Color: red, blue, gold, black, silver, red
N.W.: 340g

Gymnastic
AL02



Description: Fitness Hex Agility Ladder
Material: PP
Length: 8-rung long
Color: orange, yellow
N.W.: 1.2kg

Barbell Silicone Hand Grip
FBG02



Description: Thick Fat Bar Grips
Material: Silicone
Length: 125mm
External diameter: 50mm
Inner diameter: 25mm
N.W.: 480g

Barbell Silicone Hand Grip
FBG01



Description: Thick Fat Bar Grips
Material: Silicone
Length: 100mm
External diameter: 50mm
Inner diameter: 25mm
N.W.: 400g

Gymnastic
MS01



Description: Massage stick
Material: PP
Length: 44cm
Color: red, green, yellow, pink, black, gray
N.W.: 220g

Gymnastic
AL01



Description: Fitness Agility Ladder
Material: TPE
Length: 12-rung long
Color: green, yellow
N.W.: 1.2kg

Gymnastic
DSC01



Description: Soccer Fitness Training Sign Plate
Diameter: 2ins
Material: PE
Length: 44cm
Color: red, green, blue, orange, yellow
N.W.: 25g

Barbell Silicone Hand Grip
BBG01

Material: Aluminum handle + Steel wire with PVC cover
Bearing connection
Length: 3m
Diameter: 2.5mm
Length of handle: 17cm
N.W.: 210kg
Color: blue, golden, silver, black, red

Barbell Pad
BP02



Description: Barbell pad
Material: NBR
Dimensions: 44*10*10cm/17*4*4in
Color: black, red
N.W.: 219g

Gym Ring
GR02



Model: GR01
Description: Gym Ring
Material: Birch
Diameter: 23cm
Thickness of grip: 32mm
Belt size: 4.6m(Length)* 3.8cm(width)
N.W.: 1.6kg

Wall Ball
WB01



Material: Outside Grid pattern 1000D PVC TARP PP Cotton cushioning, rubber grind with iron shot core
Diameter: 35CM/14"
Weight: 3, 4, 5, 6, 7, 8, 9, 10, 12, 13, 15 kg 6,8,10,12,14,16, 18,20,24,25,30LB
Color:black

Weight vest - Adjustable
PB01



Material: Outside 1000D PVC TARP compressed Cotton cushioning, Paper Tube, Iron sand bag
Weight: 5,10,15,20, 25,30kg
Color:black

Bull Boost Bulgarian Bag
BU01




Material: Outside 1000D PVC TARP rag cushioning, iron sand bag
Weight: 5,10,15,20kg
Color: black, red, yellow

Weight vest - Adjustable
WV01



Material: 1000D Nylon Oxford ,
Padding material: Iron shot
Weight: 10, 15,20kg
Color: black,

Weight vest - Adjustable
WV02



Description: Thick Fat Bar Grips
Material: Silicone
Length: 125mm
External diameter: 50mm
Inner diameter: 25mm
N.W.: 480g

Medicine Ball
MB01



Description: Thick Fat Bar Grips
Material: Silicone
Length: 100mm
External diameter: 50mm
Inner diameter: 25mm
N.W.: 400g

Fitness Tire
GT01



Material: Mesh Leather + Tire + EVA
Dimension: 87*40*25cm/ 103*50*31/ 122*60*34
Weight: 40.60.80kg
Color: BLACK GREEN, RED, BLUE...

Foam jump box
FPB02



Material: Material: Outside 1000D PVC TARP,compressed cotton cushioning
Dimension: 90*75*7.5cm/90*75*15cm/
90*75*30cm/90*75*45cm/90*75*60cm
Weight: 130kg
Color: green,blue red, black

Plyo Soft Box
FPB03



Material: Material: Outside 1000D PVC TARP compressed cotton cushioning
Dimension: 75*60*50cm/40*50*60cm
Weight: 75*60*50cm 30kg
40*50*60cm 17.5kg

Medicine Ball
MB02



Material: Aluminum handle + Steel wire with PVC cover
Bearing connection
Length: 3m
Diameter: 2.5mm
Length of handle: 17cm
N.W.: 210kg
Color: blue, golden, silver, black, red

Slam Ball
SB01



Material: Rubber
Diameter: 23cm for 2kg-10kg, 28cm for 12-30kg, 33cm for 35-50kg, 36cm for 55-70kg, 38cm for 75-80kg, 23cm for 4lb-20lb, 28cm for 25-65lb, 33cm for 70-100lb, 36cm for 120-150lb,
Weight: 2-10kg, 1kg increment, 12kg, 15kg to 80kg, 5kg increment, 4-12lb, 2lb increment, 15lb-80lb, 5lb increment, 100lb, 120lb, 150lb,
Package: cartoon

Battle rope
BR01



Model: GR01
Description: Gym Ring
Material: Birch
Diameter: 23cm
Thickness of grip: 32mm
Belt size: 4.6m(Length)* 3.8cm(width)
N.W.: 1.6kg

Pro Battle Rope
BR01-2



Material: 100% polyester High Density 600D oxford fibre cover
Dia: 38mm
Length: 9m, weight: 8.3kg
Length: 12m, weight: 11kg
Length: 15m, weight: 13kg
Dia: 50mm
Length: 9m, weight: 13kg
Length: 12m, weight: 18kg
Length: 15m, weight: 23kg
Package: carton

Climbing Rope
TCR02



Material: Outside 1000D PVC TARP compressed Cotton cushioning, Paper Tube, Iron sand bag
Weight: 5,10,15,20, 25,30kg
Color:black

Resistance Loop Exercise Bands
RB01



Material: 100% natural latex
Size: 600/500(L)*50(W) mm
Thickness: 0.35-1.5mm, 0.05mm increment
Other specifications can be customizew

Aerobic Stepper
ST110CPE



Dimension: 108L*41.5W (cm)
Adjustable from 10cm,15cm and 20 cm for the height (3 Leveles)
Support blocks 5cm when placed in position
Material: HDPE
N.W. 8.5kg G.W. 9.5kg
Package: 109*42*21cm/1 set

Aerobic Stepper
AST110PP



Dimension: 110L*34W (cm)
Adjustable from 20cm and 35 cm for the height (2 Leveles)
Support blocks 5cm when placed in position
Material: PP
N.W. 12.5kg G.W. 13.5kg
Package: 112.5*34.7*21.2cm/1pc

Suspension training belt
SP-01



Resistance Bands / Monster Bands - Length 2080mm
RB02



Material: 100% natural latex
Size: 2080(L)*4.5(thickness) mm
Width: 6.4/ 13/ 19/ 21/22/29/32/44/45/64/83/101mm
Other specifications can be customized

Aerobic Stepper
ST90PP



Dimension: 90L*32W (cm)
Adjustable from 15cm ,20cm and 25 cm for the height (3 Leveles)
Support blocks 5cm when placed in position
Material: PP
N.W. 25kg G.W. 28kg
Package: internal package: 91*33*16cm
external package: 92.5*34.5*79cm/5pcs

Aerobic Stepper
ST70PE



Dimension: 72L*36W (cm)
Adjustable from 10cm,15cm and 20 cm for the height (3 Leveles)
Support blocks 5cm when placed in position
Material: HDPE
N.W. 3.5kg G.W. 4.5kg
Package: 72.5*37.5*21.5cm/1 set

GYM ACCESSORIES - YOGA



Yoga Mats - TPE
YM01




Material: TPE
Dimension: 183(L) * 61(W)cm*6(T)mm
Color: single color :Blue/yellow/purple/pink

Yoga Mats - TPE
YM01D



Material: TPE
Dimension: 183(L)*61(W)*0.6(T) cm
Dual color: customized

Yoga Mats -PU+RUBBER
YM03



Material: PU
Dimension: 1850*680*5mm
Color: single color :Blue/yellow/purple/pink

EVA Yoga Column
FR10
33*14cm



Material: High Density EVA
Dimension: 33*14cm/33*14cm/ 33*14cm/ 45*14cm
/ 45*14cm

EVA Yoga Column
FR11
33*14cm



Material: High Density EVA
Dimension: 33*14cm/33*14cm/ 33*14cm/ 45*14cm
/ 45*14cm

EVA Yoga Column
FR13
33*14cm



Material: High Density EVA
Dimension: 33*14cm/33*14cm/ 33*14cm/ 45*14cm
/ 45*14cm

EVA Yoga Column
FR40
45*14cm



Material: High Density EVA
Dimension: 33*14cm/33*14cm/ 33*14cm/ 45*14cm
/ 45*14cm

EVA Yoga Column
FR43
45*14cm



Material: High Density EVA
Dimension: 33*14cm/33*14cm/ 33*14cm/ 45*14cm
/ 45*14cm

Yoga Ball-Anti burst
YB01




Size: 55cm, 65cm, 75cm, 85cm, 95cm 55, 65 most popular

BUSU Ball-Anti burst
BS01



GYM ACCESSORIES - FLOOR



Gym roll
GMR-04/GMR-05/GMR-06/GMR-08/GMR-10/GMR-12




Size : 4mm/5mm/6mm/8mm/10mm/12mm

Interlock gym floor
GMRB-04/GMRB-05/GMRB-06/GMR-08/GMRB-10




Size : 4mm/5mm/6mm/8mm/10mm

Interlock gym floor
GMB-1000-15/GMB-1000-20/GMB-1000-25/GMB-1000-30/GMB-1000-40



Size: 1000x1000x15mm; 1000x1000x20mm;
1000x1000x25mm; 1000x1000x30mm;
1000x1000x40mm;
Material: Fine particles; Fine particles (mini dot)

Crossfit turf/sled turf
YNTF-01




Size: 2mx25m /4m*25m

Crossfit turf/sled turf
YNTF-02




Size 1.5*11meter, 1-9 score /2*11meter, 1-9 score

EVA Mat
EM1000-20/EM1000-25/EM1000-30




Size: 1mx1m
Color: red/blue , grey /black ,yellow /black Foam

EVA Mat
GMBI-1000-15/GMBI-1000-20/GMBI-1000-25



Size: 1000x1000x15mm/1000x1000x20mm
/1000x1000x25mm

EVA Mat
GMBF-1000-15/GMBF-1000-20/GMBF-1000-30



Size: 1000x1000x15mm/1000x1000x20mm
/1000x1000x30mm

Cable Attachment



CA01



CA02



CA03



CA04



CA05



CA06



CA07



CA08



CA09



CA10



CA11



CA12



CA13



CA15



CA16



CA17



CA18



CA19



CA20



CA21



CA22



CA24



CA25



CA27



CA28



CA29



CA31



CA32



CA33



CA34



CA36



CA37



CA38



CA39